

ST MAX[™] II PC Pro

Midsize range of Electric Airless Paint Sprayers for Professional Painting Contractors



PROFESSIONAL ADVANTAGES

- Ideal for renovation and new construction family house painting
- Save time cleaning your unit with FastFlush[™]
- Finish every job, every day thanks to ProGuard[™], protection against bad voltage and ProConnect[™] fast pump replacement system



ST MAX[™] II PC Pro

Spra

Finish every job, every day!

ST Max™ II PC Pro

More **PERFORMANCE**, advanced **TECHNOLOGY** and extra features offers you every day reliability and ultimate user comfort, with **ST Max[™] II PC Pro**.

When you need the increased productivity to handle medium residential and light commercial jobs, **ST Max[™] II PC Pro** delivers the performance you want. Available for you in a compact stand version or the more featured cart version, offering direct suction, a kick back, hose wrap and toolbox as a premium.

It's for **YOU**, we equipped all **ST Max[™] II PC Pro** with ProConnect[™], ProGuard[™], maintenance-free brushless motor design, Endurance[™] Pump, Contractor[™] Gun, SmartControl[™] 2.5 and FastFlush[™]. Leading technology, helps you finish your paint job on time, every day with a smile! SmartControl[™] 2.5 with FastFlush[™] - Digital display shows pressure, liters and hours - Digital brain, variable pressure setting, controlling spray fan and functionality - Providing error messages and diagnostics, ideal for maintenance tracking - Fast Flush[™] high flow cleaning system runs faster and dramatically reduces cleaning time

10

Fast Flush

FastFlush™

Save time cleaning your unit! The FastFlush pump cleaning system cleans the unit up to four times faster using only half the water.

SMARTCONTROL[™]



MaxPower Brushless DC Motor

- Higher torque = More work done
- Brushless design means that you will never need to replace brushes
- Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray, 5 year warranty

ProGuard[™]+

Sprayer Protection System Guards against bad or extreme job site power conditions (230V models only)



Watch our application videos at: http://www.contractorclub.com

Your Perfect 'Buddy' for Renovation Jobs

ST Max II PC Pro Features

The combination of reliable performance and compact design makes the ST Max II PC Pro range the ideal product for interior painting of family houses or small residential jobs. You can easily spray almost all interior acrylic paints, emulsions, laquers, varnishes and enamels on walls, wood and metal surfaces.

The ST Max II 595 PC Pro outperforms all other models and can also be used for occasional façade painting.



Easy-Out[™] Pump Filter

- Large filtering area reduces tip
- clogs and ensures a quality finish
- Inside out filter design filters won't
- collapse and cleans with only a few liters - Vertical filter design removes simply with the cap,
- eliminates spill



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most (Hi-Boy).

Features



EXTEND Your Reach!

JetRoller™ <u>The id</u>eal renovation tool

Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation. Uses commonly available 18 or 25 cm roller covers.

Benefits:

- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down
- Completes large jobs in half the time of traditional methods

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot[™] Shut-Off[™] valve, Inline[™] gun, spray tip and guard.

Semi-Pneumatic Wheels - Roll easily over rough terrain

Durable Cart design

PRD

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose
- Comfortable inlet suction allows suction of unthinned paint up to 30 liter buckets
- TiltBack[™] easily allows one man bucket change



Hopper

A convenient 5.7 liter hopper,

compatible with all units

TIP

With a spare pump ready, you'll always be able to finish your job!

Features

Exchange your pump easily **YOURSELF** in 3 steps in case any damage appears.

No more time wasted or money lost to labour charges on pump repairs.



Loosen the clamping nut



Open door and remove pump



Remove hose and suction tube





ST MAX[™] II PC Pro Accessories

Get the most out of your equipment, using our professional accessories

10	Contractor 288475	r[™] Guns 2-finger, RAC X [™]	™ quard an	d 517 tin	V	Hopper 288526		stand version	
A.C.	200470	60 + 100 mesh	filter			288526 24B250		stand version hi-boy version	
	288009	4-finger, RAC X [™]		J 517 tip,		0		-	_
	262114	60 mesh filter 2-finger, RAC X [™]	™ quard nc	tin		23	ler [™] System 0.5 ine [™] Gun	i m Heavy Duty I without In	
	202114	60 mesh filter	yuaru, ne	up,		24V490			roller 18 cm
		-				24V491			roller 25 cm
2222	Easy-Out™ 257129	" Gun Filters 30 mesh, grey	287033	100 mesh, blue		232123	1 m Heavy	y Duty extension	
100	287032	60 mesh, black		200 mesh, red	45	CleanS	Shot™ RAC X™ Po	ole Gun	
		,		-	120	287026		287027	180 cm
	Easy-Out [™] 246425	* Pump Filters 30 mesh, grey			D	RAC X	Tip Extensions		
2	246425 246384	30 mesh, grey 60 mesh, black ((= standar	d)	22.	287019		287021	50 cm
020	246382	100 mesh, blue		1)		287020		287022	75 cm
	246383	200 mesh, red						1 - L-X	
	RlueMax™	BlueMax™ II Hoses				688009	5 Exterior (comp 30 cm fixed		
	214698	3/16" x 7.5 m	241272	1/4" x 20 m		098084	4 90-180 cm	n telescopic	
	240794	1/4" x 15 m	223771	1/4" x 30 m	(A)	098085	5 45-90 cm	telescopic	
	Hose Conn	ectors			14	Roller I	Kit		
SP .	156971		157350	1/4" x 3/8"	all a	245397	7 Fixed interi	rior roller 50 cm -	
\bigcirc							23 cm - Co	over 12 mm - InLi	ine [™] gun
	Whips (230 238358	0 bar) 3/16" x 0.9 m	238359	3/16" x 1.8 m		Tips &	Guards		
0	238959	3/16" x 0.5 m 3/16" x 1.4 m		0/10 / 112		FFAXXX	Green RAC	C X fine finish tip	
					0 /			X professional airl	
iten	Blister Pac 17C489	ck - ProConnect P Blister Pack, fits				WA12XX 246215		deRac, for big surf ard	aces
			all or mar.		8	A	-	iu -	
	ProGuard [™]		· •						
and the second s	24W090 24W755	230V, CEE 7/7, s 230V, IEC320, m			5	206994 253574			
			luna ee				·		
pecific	ations					T.			
		and ready to spray with:		gun,	X			_A 9	_0 9
		BlueMax [™] II hose 1/4" x , ProGuard+ voltage prot		S	T Max [™] II 395 I	ST Max [™] II 395	ST Max [™] II 495	ST Max [™] II 495	ST Max [™] II 5
					PC Pro	ST Max II 395 PC Pro	ST Max II 495 PC Pro		
					Stand	Hi-Boy	Stand		
i <mark>rt Number</mark> s) version (230 V)	•		17C369	170372	170373		
	for Multic for UK (11	cord version (230 V) 10 V)	7]	r D	17C374 17C375		1703
	Pressure - ba	bar (PSI)			227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (33
Max. Fluid Flow - I/min. (gpm)				2.0 (0.54)	2.0 (0.54)	2.3 (0.60)	2.3 (0.60)	2.6 (0.	
ax. Tip Size 'eight - kg (Il					0.023" 14 (30)	0.023" 30 (66)	0.025" 15 (34)	0.025" 30 (66)	
lotor Rating -				1.					
	nerator Requir	rement - W			3500	3500	3750	3750	
						<i>J</i> <i>J</i>		515	
atures: Tilt	tBack™ / Bucl	vket Hook				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	4	1
Тос	tBack™ / Buck olbox / Hose V nartControl™ v	Wrap			 / 2.5	111	_/_ 2.5	<i>√</i> / <i>√</i>	· / /

Industrieterrein Oude Bunders • Stadsweidestraat 31 • B-3630 Maasmechelen Tel. (32) 89 770 700 • Fax (32) 89 770 777 www.graco.com © 2015 Graco BVBA · Form No. 320580ENEU (rev.G) · 07/15 · Printed in Europe. Graco is certified ISO 9001. All information, illustrations, and specifications in this document are based on the latest product

All information, inustrations, and specifications in this document are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice.