

SaniSpray HP ™

High Production Airless Sprayers Designed Specifically to Spray-Apply Chemicals to Sanitise, Disinfect and Deodorise Faster



SPRAY WITH CONFIDENCE

DELIVERS HIGH SPEED & PRODUCTIVITY Choose the SaniSpray HP model by its flow rate to match job requirements

DELIVERS CONSISTENT ATOMISATION & COVERAGE Delivers the proper atomisation required to quickly and consistently coat surfaces to disinfect and sanitise efficiently

IS BUILT FOR YOUR APPLICATIONS Uniquely built with the highest grade materials that are compatible with disinfectants, sanitisers and deodorisers — unlike traditional airless paint equipment

COMES WITH EVERYTHING YOU NEED TO START NOW Ready to spray out of the box with everything you need — just add disinfectant and get to work

Introducing SaniSpray HP from Graco

The industry's first airless high production equipment built specifically for your sanitising, disinfecting and deodorising jobs.

Graco's SaniSpray HP products have been designed to deliver consistent coverage, without heavy drips and runs, so that you can achieve specified disinfectant dwell times.

Don't leave your success to chance.

Graco SaniSpray solutions include innovative, patented technologies to deliver highest productivity on all your cleaning jobs small or large.

TRUST YOUR DISINFECTION AND SANITATION PROCESS TO GRACO

Graco is committed to providing the highest quality products available.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco's professional spray equipment is designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING SERVICE AND SUPPORT

We have you 100% covered with full product support.



Use SaniSpray HP for high production sanitising, disinfecting and deodorising jobs... EVERYWHERE



FOOD SERVICES



TRANSPORTATION



ARENAS & ATHLETIC FACILITIES



HEALTH CARE



HOUSING & EDUCATION



HOSPITALITY

Not all airless sprayers are created equal. Only Graco's SaniSpray HP sprayers are designed and built specifically to be compatible with sanitising and disinfecting chemicals while applying them with maximum efficiency.

SANISPRAY HP :



DELIVERS HIGH SPEED & PRODUCTIVITY

Choose the SaniSpray HP model by its flow rate to match job requirements



DELIVERS CONSISTENT ATOMISATION & COVERAGE

Delivers the proper atomisation required to quickly and consistently coat surfaces to disinfect and sanitise efficiently



IS BUILT FOR YOUR APPLICATIONS

Uniquely built with the highest grade materials that are compatible with disinfectants, sanitisers and deodorisers — unlike traditional airless paint equipment



COMES WITH EVERYTHING YOU NEED TO START NOW

Ready to spray out of the box with everything you need—just add disinfectant and get to work




THE OLD WAY



- Inconsistent coverage with drips and runs
- Additional step required to wipe area down
- Small reservoirs require frequent filling



THE SANISPRAY HP WAY



CONSISTENT COVERAGE FROM EDGE TO EDGE

- Consistent application coverage delivered in high production or fine spray methods
- Complete surface coverage to meet chemical dwell time requirements
- Fastest application method—period
- Choose from a variety of RAC X[™] LP QuickChange[™] tip sizes to meet spray width and speed needs



A Sprayer for Every Job

The complete line of SaniSpray HP sprayers are built to deliver the highest level of productivity on every job—whether you need to treat a small room or an entire complex, there is a SaniSpray HP model with the performance to take on the task.





CORDED HANDHELD SPRAYER | PART # 25R939 (230V CEE) PART # 25T262 (230V UK)

SPRAY UP TO 0.3 L PER MINUTE

FINISH SMALL JOBS FAST

· Perfect for areas that require maximum portability

FILL & SPRAY 1 L FLEXLINER[™] BAG SYSTEM

- Easily move from room to room
- Spray in any direction—even upside down

ADJUSTABLE FLOW CONTROL

• Full range control delivers either complete coverage on specific objects or fine spray within an area

DURABLE PISTON PUMP

REVERSE-A-CLEAN (RAC®) SPRAY TIPS

 Choose from 2 RAC tips to meet your disinfectant's dwell time and atomisation requirements

FOR HOUSEHOLD USE ONLY*



SaniSpray HP 20

CORDLESS HANDHELD SPRAYER | PART # 25R945 (230V CEE) PART # 25R950 (230V UK)

SaniSpray HP20**

CORDED HANDHELD SPRAYER | PART # 25R943 (230V CEE) PART # 25R949 (230V UK)

SPRAY UP TO 0.6L PER MINUTE

Includes all features on the SaniSpray HP 10 PLUS: FILL & SPRAY 1.25 L FLEXLINER BAG SYSTEM

- Extended spraying between refills
- Spray in any direction—even upside down

TRIAX[™] AIRLESS PISTON PUMP WITH PROCONNECT[™]

REVERSE-A-CLEAN (RAC) X LP TIPS

 Choose from 9 RAC X LP tips to meet your disinfectant's dwell time and requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure

SaniSpray HP 20 Cordless Includes: BRUSHLESS DC MOTOR

 Dependable motor with spark-free operation provides ability to spray alcohol-based (flammable) chemicals

(2) DEWALT® 18V LITHIUM-ION BATTERIES & CHARGER***

• Sprays up to 9.5 litres on each charge

- This product is designed and intended for personal, non-income producing, household purposes only.
- ** Not for use with alcohol-based (flammable) materials.
 *** DEWALT © and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under licence.

{} GRACO





SaniSpray HP65

PORTABLE HOPPER SPRAYER | PART # 25R946 (230V CEE) PART # 25R948 (230V IT/DK/CH/UK)

3X FASTER THAN SANISPRAY HP 20

POUR & GO 5.7 L LITRES HOPPER

Hopper delivers extended spray time
 along with self contained portability

GRAB & GO SELF-CONTAINED SYSTEM

 Carry sprayer and material together—lid prevents splashes and spills while carrying

EXTENDED REACH TO SPRAY ANYWHERE

• Add up to 90 m of hose to spray anywhere

POWERFUL DC MOTOR

 DC motor with spark arrestor provides ability to spray alcohol-based (flammable) chemicals

ADJUSTABLE PRESSURE CONTROL

PROX[™] AIRLESS PISTON PUMP WITH PROXCHANGE[™]

LIGHTWEIGHT SANISPRAY HP GUN

• Allows products to be applied faster to speed up disinfection process

REVERSE-A-CLEAN (RAC) X LP TIPS

• Choose from 12 RAC X spray tips to meet your coating's dwell time and atomisation requirements

40 CM SPRAY EXTENSION

- Provides additional reach
- Reduces operator chemical exposure

SaniSpray HP130

CORDLESS HANDHELD SPRAYER | PART # 25R947 (230V CEE) PART # 25R951 (110V UK)

2X FASTER THAN SANISPRAY HP 65

2-GUN PRODUCTIVITY DELIVERED

- Highest production airless disinfectant sprayer available on market
- Simultaneous dual gun performance for maximum disinfection rates

SPRAY FROM ANY CONTAINER

• Extended spraying without refills

EXTENDED REACH TO SPRAY ANYWHERE

· Add up to 90 m of hose to spray anywhere

SMARTCONTROL[™] ADJUSTABLE PRESSURE CONTROL

 Full range control delivers even coverage on specific objects or area fine misting

ROLL & GO CART DESIGN

· Easily move sprayer and chemical bucket together

ENDURANCE[™] PISTON PUMP WITH PROCONNECT

LIGHTWEIGHT SANISPRAY HP GUN

Allows faster application to speed up disinfection process

REVERSE-A-CLEAN (RAC) X LP TIPS

 Choose from 17 RAC X spray tips to meet your coating's dwell time and atomisation requirements

40 CM SPRAY EXTENSION

- Provides additional reach
 Beduces operator chemical exposure
- Reduces operator chemical exposure

MAXPOWER[™] MOTOR & ADVANTAGE DRIVE[™]

 Dependable motor with spark-free operation provides ability to spray alcohol-based (flammable) chemicals

SaniSpray HP ТΜ

Technical Specifications

All units ship complete and ready to spray:

Model Name:	SaniSpray HP 10*	SaniSpray HP 20*	SaniSpray HP 20	SaniSpray HP 65	SaniSpray HP 130		
	Corded Handheld Sprayer	Corded Handheld Sprayer	Cordless Handheld Sprayer	Portable Hopper Sprayer	2-Gun Cart Sprayer		
Part Numbers:	25R939 (230V CEE)	25R943 (230V CEE)	25R945 (230V CEE)	25R946 (230V CEE)	25R947 (230V CEE)		
	25T262 (230V UK)	25R949 (230V UK)	25R950 (230V UK)	25R948 (230V IT/DK/CH/UK)	25R951 (110V UK)		
Max. Flow (L/Min)	0.3	0.6	0.6	1.9	3.8 Ability to use 2 guns simultaneously		
Max. Tip Size	-	.019"	.019"	.023"	.031"		
Pressure bar (PSI)	Dual Speed 69 Bar (0-1.000 psi)	Adjustable 69 Bar (0-1.000 psi)	Adjustable 69 Bar (0-1.000 psi)	Adjustable 69 Bar (0-1.000 psi)	Adjustable 69 Bar (0-1.000 psi)		
Particle ** Micron Size	Adjustable Particle Size Fine Mist to Coarse Spray	Adjustable Particle Size Fine Mist to Coarse Spray	Adjustable Particle Size Fine Mist to Coarse Spray	Adjustable Particle Size Fine Mist to Coarse Spray	Adjustable Particle Size Fine Mist to Coarse Spray		
Capacity	Fill and Spray 1 L Reservoir	Fill and Spray 1.25 L Reservoir	Fill and Spray 1.25 L Reservoir	Pour & Go 5.7 L Reservoir	High Production Use ANY Container		
Power Sources	230V CEE Corded 230V UK Corded	230V CEE Corded 230V UK Corded	DEWALT 18V Cordless lithium Ion Batteries	230V CEE Corded 230V IT,DK,CH,UK Corded	230V CEE Corded 110V UK Corded		
Includes	 Coarse Spray Tip (4" Wide) Fine Spray Tip (12" Wide) (5) FlexLiner Bags Storage Plug Durable Tool Bag 	 313 Fine Spray Tip 515 & 619 Coarse Spray Tips 40 cm Spray Extension (268143) 5 FlexLiner Bags Storage Plug & Storage Bag 	 313 Fine Spray Tip 515 & 619 Coarse Spray Tip 40 cm Spray Extension (26B143) (2) DEWALT 18V Max 2.0 ah Lithium-Ion Batteries Charger 5 FlexLiner Bags Storage Plug & Storage Bag 	 SaniSpray HP Gun (25R874) 1/4" x 15 m BlueMax II Hose 1/8" x 1.4 m BlueMax II Whip Hose Fine Spray Tip (515) Medium & Coarse High Production Spray Tips (617 & 619) 40 cm Spray Extension (26B143) 	 (2) SaniSpray HP Guns (25R874) (2) 1/4" x 15 m BlueMax II Hose (2) 1/8" x 1.4 m BlueMax II Whip Hose (2) 40 cm Spray Extensions (26B143) Fine Spray Tips (2-617) Medium & Coarse High Production Spray Tips (2-619 & 2-621) 		
Modular Repair	Not Repairable	✓	1	1	\checkmark		

* **

SaniSpray HP 10 & 20 Corded Handheld sprayers cannot spray alcohol based (flammable) products. Particle size will vary based on tip size, pressure and disinfection product used. Average particle size measured when spraying water ranges from 30-110 microns.

	RAC X LP TIPS:							
Compatible Disinfectants			LESS MATERIA			IAL FLOW MORE		
			FINE MIST		ATOMISATION			COARSE SPRAY
Approved Alcohol-based (Flammable) Active Ingredients Ethanol,	IN	.013"	.015"	.017"	.019"	.021"	.023"	.025"
Isopropanol (except for SaniSpray HP 10 and 20 Corded models)	6-8	LP 313	LP 315					
Approved Non-Alcohol Based Active Ingredients—Aldehydes,	8-10		LP 415	LP 417	LP 419	LP 421	LP 423	LP 425
Phenols, Quaternary Ammonium Compounds, Sodium PATTERN Hypochlorite (Bleach), Peroxyacetic Acid, Hydrogen Peroxide, WIDTH	10-12		LP 515	LP 517	LP 519	LP 521	LP 523	LP 525
Hypochlorous Acid Consult with your material manufacturer to confirm	12-14		-	LP 617	LP 619	LP 621	LP 623	LP 725
spray application and equipment compatibility wide	14-16		-	-	-	-	LP 723	LP 725
	SaniSpr	ay 20 Optimal Ran	ige	SaniSpray 6	5 Optimal Range	SaniSpray 130 Optimal Range		

All written and visual data contained in this document are based on the latest product information available at the time of publication. $\ensuremath{\mathsf{Graco}}$ reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO DISTRIBUTION BV Industrieterrein Oude Bunders • Slakweidestraat 31 • B-3630 Maasmechelen Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • www.graco.com

Every Graco purchase comes with A+ Customer Service.

1



©2020 GRACO DISTRIBUTION BV 300788ENEU (rev.A) 05/20 Printed in Europe. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.